















CLA-VAL

QUICK REFERENCE CATALOG


VALVES AND CONTROLS


















FOR SHIPBOARD PIPING SYSTEMS

PRODUCTS	CLA-VAL CATALOG NO.	DESCRIPTION
 90FM-2  90M	90FM-2	Pressure Reducing Valve
 50M  50M-2  50M-5	50M	Pressure Relief Valve
	50M-2	Pressure Relief Valve
	50M-5	Remote Sensed Relief Valve
 CSM5M-3A  100M-1  CM15M-A2-3	100M-1	Hytrol Valve
	100M-1 EP NOTE:	Valve, Remote Control, Diaphragm Actuated
	CSM5M-3A	SOPV Valve
	CM15M-A2-3	Manual Control
 403M  1626M  CFF18M-H2	403M	Filter Separators, Fluid, Pressure, Aviation and Diesel Fuel
	1626M	CFF18MT-H2—Equipped with Tester CFF18M-H2 CFF19MT-H2—Equipped with Tester CFF19M-H2 CFF21 M-H2
	100M-1	Flanged Float Control for Filter Separators
	100M-1	Hytrol Valve

SHIPBOARD SYSTEM (WHERE USED)	SIZES AVAILABLE	END CONNECTIONS	
		TYPE	SPECIFICATION
Sanitary Flushing System. Evaporator Cooling System.	1", 1 1/4", 1 1/2" & 2"	Union	MIL-F1183
	1 1/4", 1 1/2", 2", 2 1/2" 3", 3 1/2" & 4"	Flanged	MIL-F20042, Class 150 MIL-F-20042, Class 250
	4", 5", 6" & 8"	Flanged	MIL-F20042, Class 150 MIL-F-20042, Class 250
Gasoline or Jet Fuel Distribution.	3" 4", 5", 6" & 8"	Flanged	MIL-F20042, Class 150 MIL-F-20042, Class 250
Back Pressure Sustaining/or Pressure Relief. Constant Pressure Pumping System.	1 1/2" through 8" (also 8" angle pattern)	Flanged	MIL-F20042, Class 150 MIL-F-20042, Class 250
Fuel Oil Transfer System.	1 1/4", 1 1/2", & 2"	Union	MIL-F1183
		Flanged	MIL-F20042, Class 150 MIL-F-20042, Class 250
Fire Extinguishing for Machinery Spaces. AFFF (Aqueous Film Forming Foam). "Light Water" Fire Protection System.	1", 1 1/4", 1 1/2", 2", 2 1/2", 3", 3 1/2", 4", 5", 6" & 8"	Flanged	MIL-F20042, Class 150 MIL-F-20042, Class 250
	3/8"	Union	MIL-F1183
Fuel-Water Filter/Separators for Av-Gas, JP-5, Diesel Fuel.	1 1/4", 1 1/2", 2", 2 1/2", 3", 3 1/2", 4", 5", 6" & 8"	Flanged	MIL-F20042, Class 150 MIL-F-20042, Class 250
	3/4"	Sil-Brazed	Nickel-Copper Pipe
		Flanged	MIL-F20042, Class 150
		Flanged	MIL-F20042, 150 (B1624)
3/4", 1", 1 1/4", 1 1/2", & 2"	Flanged Union	MIL-F20042, Class 150 MIL-F1183	

PRODUCTS	CLA-VAL CATALOG NO.	DESCRIPTION
 <p>100PM-4</p>  <p>Westinghouse Valve</p>	<p>100PM-4</p> <p>100PM-4B</p> <p>Note:</p> <p>Westinghouse Valve</p>	<p>Magazine Sprinkler Valve</p> <p>Magazine Sprinkler Valve</p> <p>EP suffix to catalog number indicates valve equipped with ethylene propylene elastomer. MS suffix to catalog number indicates valve equipped with limit switch.</p> <p>Dwg# 803-6397408 1 1/2"-8"</p>
 <p>81M</p>  <p>81PM-1</p>  <p>100M-1KR/KHR</p>	<p>81M</p> <p>81PM-1</p> <p>100M-1KR/KHR</p>	<p>Check Valve, Lift, Spring Loaded, Diaphragm Operated</p> <p>Check Valve, Hydraulically Operated Without .098 Orifice</p> <p>Valve, Remote Control, Diaphragm Actuated, Type I, Hydraulically Operated</p>
 <p>CM15M-BA3-3</p>	<p>102M-1</p> <p>105M-1</p>	<p>Three-Way Hydraulic Control Valve</p> <p>Hydraulically Operated Control Valve</p>
 <p>CM11M-BA3-3</p>  <p>X60M</p>	<p>CM15M-BA3-3</p> <p>CM11M-BA3-3</p> <p>CM11M-B2-3</p> <p>CM15M-A2-3</p> <p>X60M</p>	<p>Manual Control Valve }</p> <p>Manual Control Valve</p> <p>Manual Control Valve</p> <p>Manual Control Valve</p> <p>Orifice Flange Assembly (.063" or .098")</p>
 <p>100M-2</p>	<p>100M-2</p> <p>Note:</p>	<p>Sprinkling Valve (Normal Open)</p> <p>EP suffix to catalog number indicates valve equipped with ethylene propylene elastomer.</p>
 <p>CSM5M-3A</p>	<p>CSM5M-3A</p>	<p>Dual Solenoid Valve Control</p>

SHIPBOARD SYSTEM (WHERE USED)	SIZES AVAILABLE	END CONNECTIONS	
		TYPE	SPECIFICATION
Magazine and Cargo Sprinkling (Dry and Wet Type).	1"	Union	MIL-F1183
	1", 1 1/4", 1 1/2", 2", 2 1/2", 3", 3 1/2", 4", 5", 6" & 8"	Flanged	MIL-F-20042, Class 250
Foam System "AFFF". (Special Applications)	1/4", 3/8", 3/4", 1", & 1 1/2"	Union	MIL-F1183
Controls and Accessories for Sea Water Sprinkling Systems and "AFFF" Systems	3/8"	Union	MIL-F1183
	3/8"	Union	MIL-F1183
Wet Type Magazine Sprinkling System	3/8" & 1/2"	Union	MIL-F1183
	1"	Union	MIL-F1183
...Magazine Sprinkling System (Local, Adjacent and Remote Control Stations).	3/8"	Union	MIL-F1183
Through Bulkhead Mounting.	3/8"	Union	MIL-F1183
Through Bulkhead Mounting.	3/8"	Union	MIL-F1183
	3/8"	Flanged	MIL-F20042, Class 150
Hangar Deck and Water Curtain Sprinkling.	1 1/2" through 6"	Flanged	MIL-F20042, Class 250
Magazine Sprinkling System. Hangar Deck and Water Curtain Sprinkling. Elevator Shaft Foam Flooding.	3/8"	Union	MIL-F1183

PRODUCTS	CLA-VAL CATALOG NO.	DESCRIPTION
100PM-3 	100PM-3	Powerrol Valve, hydraulically operated without provision for test fitting. EP suffix to catalog number indicates valve is equipped ethylene propylene elastomers.
81M-3 	81M-3 Note: 81M-8	Check Valve EP suffix to catalog number indicates valve is equipped ethylene propylene elastomers MS suffix to catalog number indicates valve is equipped with limit switch.
181PM-EP 	181M-EP 181PM-EP 181M-2	Hy-Check Valve (Sea Water) Power Hy-Check Valve (AFFF Concentrate) Hy-Check Valve
 22M  X69M	22M X69M	Back Pressure Regulating Valve Proportioning Assembly 4" for Type II System 5" for type III System
136M-2 	136M-2	Solenoid Control Valve
	136M-7B	Solenoid Control Valve
 50M-1	50M-1	Lube Oil Unloading Valve (Remote Sensing)
240M-3 	240M-3	Ballast Control Valve
 240M-4 	240M-4 CM10M-CP3-4 CM10M-AC3-4	Void Filling Valve Manual Control Valve (in Neutral Ports A & B are Closed) Manual Control Valve (in Neutral Ports A & B are Open to Drain)
302M 	302M	Automatic Fueling & Defueling Valve
 RP2M 	RP2M RP9M	Backflow Preventer Backflow Preventer
	83M	Valve, Tank Sounding Tube, Floating Ball Check (Dwg,53711-803-5959276) NSN 1 H 4820-258-3954

SHIPBOARD SYSTEM (WHERE USED)	SIZES AVAILABLE	END CONNECTIONS	
		TYPE	SPECIFICATION
Fire Extinguishing for Machinery Spaces. "AFFF" Foam System.	3/4" and 1" 1", 2", 2 1/2", 3" 3 1/2", 4", 5" & 6"	Union Flanged	MIL-F1183 MIL-F20042, Class 150 MIL-F-20042, Class 250 *ASA Class 150 (B16.24)
Missile Booster Suppression System. Water Curtain Sprinkling. Water Injection System. "AFFF" Foam System.	2", 2 1/2", 3", 3 1/2", 4", 5", 6", 8" 10"	Flanged Flanged	MIL-F20042, Class 150 MIL-F-20042, Class 250 MIL-F-20042, Class 250
"AFFF" Foam System.	1/2", 2", 2 1/2", 3", 4", 5" & 6"	Flanged	MIL-F-20042, Class 250
"AFFF" Foam System.	1 1/2", 2", 2 1/2", & 3"	Flanged	MIL-F-20042, Class 250
"AFFF" Foam System.	4", 5", & 6"	Flanged	MIL-F-20042, Class 250
"AFFF" Foam System.	1 1/2"	Flanged	MIL-F-20042, Class 250
"AFFF" Foam System.	4" & 5"	Flanged	MIL-F-20042, Class 250
Air Conditioning and Chilled Water Systems (Fresh).	1/2", 3/4", 1", 1 1/4" & 2"	Union Flanged	MIL-F1183 MIL-F20042, Class 150 *ASA Class 150 (B16.24)
Sea Water Control Valve. Miscellaneous Applications.	1 1/4", 1 1/2", 2"	Union Flanged	MIL-F1183 MIL-F-20042, Class 250
Lubricating System for Turbine Bearings.	2 1/2", 3", 4", 5" & 8" Straight or Angle Pattern	Flanged	ASTM B16.5
Sea Water Ballast System.	4", 6", 8", 10", 14" &	Flanged	Non-Std. Dimensions Ductile Iron or Bronze
Wing Tank Void Filling.	8" & 10"	Flanged	Non-Std. Dimensions
4-Way Misc, Control Applications.	3/8", 1/2" & 3/4"	Flanged	Socketed For Sil-Brazing
4-Way Wing Tank Void Filling.	3/8", 1/2" & 3/4"	Flanged	Socketed For Sil-Brazing
Av Gas and Jet Fuel Systems on CV, LHA, LHD, LPD, LPH, Class Vessels.	2 1/2"	Flanged	MIL-F-20042, Class 250
Potable Water/Sea Water Isolation.	3/4", 1" 1 1/2" 2 1/2"	Union Flanged	MIL-F1183 MIL-F-20042, Class 250
	1 1/2"	Screwed	1 1/2"-11 1/2" NPSH

*Available on request

**Home Office:**

P.O. Box 1325
Newport Beach, CA 92659-0325
Phone: (949) 722-4800 • 1-800-942-6326
Fax: (949) 548-5441
www.cla-val.com
E-mail: claval@cla-val.com

WESTERN REGION:

11626 Sterling Avenue, Suite F
Riverside, CA 92503
Phone: (951) 687-9145 • 1-800-247-9090
Fax: (951) 687-9954
E-mail: lvanderk@cla-val.com

SOUTHERN REGION:

14520 Old Katy Road #105
Houston, TX 77079-1000
Phone: (281) 759-9590 • 1-800-336-7171
Fax: (281) 759-8938
E-mail: blindsey@cla-val.com

NORTHERN REGION:

P.O. Box 863
Elgin, IL 60121
280 Willard Avenue
Elgin, IL 60120
Phone: (847) 697-1413 • 1-800-238-7070
Fax: (847) 697-5549
E-mail: djurs@cla-val.com

EASTERN REGION:

1451 Belle Haven Road, Suite 320
Alexandria, VA 22307
Phone: (703) 721-1923 • 1-800-451-3030
Fax: (703) 721-1927
E-mail: bmoore@cla-val.com

CLA-VAL CANADA:

4687 Christie Drive
Beamsville, Ontario
Canada L0R 1B4
Phone: (905) 563-4963 • Fax: (905) 563-4040
E-mail: sales@cla-val.ca

CLA-VAL EUROPE:

Chemin des Mesanges 1
CH-1032 Romanel/Lausanne
Switzerland
Phone: 41-21-643-15-55 • Fax: 41-21-643-15-50
E-mail: cla-val@cla-val.ch

CLA-VAL UK:

Dainton House, Goods Station Road
GB - Tunbridge Wells
Kent TN1 2 DH
England
Phone: 44-1892-514-400 • Fax: 44-1892-543-423
E-mail: info@cla-val.co.uk

CLA-VAL FRANCE:

Porte du Grand Lyon 1
ZAC du Champ du Périer
France - 01700 Neyron
Phone: 33-4-72-25-92-93 • Fax: 33-4-72-25-04-17
E-mail: cla-val@cla-val.fr